



TIKKURILA

EPOKSIOHENNE 1074

THINNER

DESCRIPTION

Thinner

RECOMMENDED USES

Used for thinning Tikkurila's Aki and Novopox epoxy products

PRODUCT FEATURES

Used for thinning Tikkurila's Aki and Novopox epoxy products

The above information is not intended to be exhaustive or complete. The information is based on laboratory tests and practical experience, and it is given to the best of our knowledge. The quality of the product is ensured by our operational system, based on the requirements of ISO 9001 and ISO 14001. As manufacturer we cannot control the conditions under which the product is being used or the many factors that have an effect on the use and application of the product. We disclaim liability for any damages caused by using the product against our instructions or for inappropriate purposes. We reserve the right to change the given information unilaterally without notice.



TECHNICAL DATA

Density (kg/l)	0.81 kg/l, ISO 2811
-----------------------	---------------------

Storage	Unaffected by cold storage or transportation. For professional use only.
----------------	--

The above information is not intended to be exhaustive or complete. The information is based on laboratory tests and practical experience, and it is given to the best of our knowledge. The quality of the product is ensured by our operational system, based on the requirements of ISO 9001 and ISO 14001. As manufacturer we cannot control the conditions under which the product is being used or the many factors that have an effect on the use and application of the product. We disclaim liability for any damages caused by using the product against our instructions or for inappropriate purposes. We reserve the right to change the given information unilaterally without notice.

EPOKSIOHENNE 1074

APPLICATION INSTRUCTIONS

Epoksiohenne 1074 is used to thin Aki and Novopox products. The amount of thinner needed varies from 0–50%. See the thinning recommendations in the product data sheet of the product to be thinned.

Environmental protection and waste disposal

Empty cans should be recycled or disposed of in accordance with local regulations. Liquid waste should be destroyed according to the local regulations for hazardous waste. Avoid spillage into drains, water systems and soil.

Health and Safety

Danger. Highly flammable liquid and vapor. Causes serious eye irritation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear eye or face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.



GHS02



GHS07

The above information is not intended to be exhaustive or complete. The information is based on laboratory tests and practical experience, and it is given to the best of our knowledge. The quality of the product is ensured by our operational system, based on the requirements of ISO 9001 and ISO 14001. As manufacturer we cannot control the conditions under which the product is being used or the many factors that have an effect on the use and application of the product. We disclaim liability for any damages caused by using the product against our instructions or for inappropriate purposes. We reserve the right to change the given information unilaterally without notice.